

Space for Everyone: Co-Designing AAC Trainings with Families & Providers

Jessica Gormley, PhD, CCC-SLP,
Maryjan Fiala, MS, Brittany Steinfeld,
MS, CCC-SLP



UNMC™

MUNROE-MEYER
INSTITUTE



Disclosures

- Salary from the University of Nebraska Medical Center's Munroe-Meyer Institute
- The contents of this project were developed in part under grants from
 - The National Institute on Disability, Independent Living, and Rehabilitation Research (NIDILRR grant number 90REGE0014) to the Rehabilitation Engineering Research Center on Augmentative and Alternative Communication (RERC on AAC),
 - The American Speech-Language Hearing (ASH) Foundation New Investigator Research grant, and
 - The Munroe-Meyer Guild
 - The Leadership Education in Neurodevelopmental and Related Disabilities (LEND) program funded by the Maternal Child Health Bureau
 - University Centers for Excellence in Developmental Disabilities (UCEDD) program funded by the Administration on Disabilities (AoD) within the Administration for Community Living (ACL), U.S. Department of Health and Human Services (HHS)



Non-Financial Disclosures

Jessica Gormley, PhD, CCC-SLP is a co-organizer and content creator for the Patient-Provider Communication Network. She is also a member of the United States Society for Augmentative and Alternative Communication.

Maryjan Fiala, M.S., is a parent and community college instructor. She also serves on several non-profit boards/committees including PTI Nebraska, Embracing the ICU, and The Arc of Nebraska Resource Development Committee.



Learning Objectives

1. Describe at least two evidence-based techniques that promote effective communication partner training.
2. Identify at least 2 barriers that impact their collaboration with other stakeholders to develop communication partner trainings
3. Choose at least one other group of stakeholder to collaborate in the design of future communication partner trainings



Hello!

Let's get to know each other!



Who are we?



Brittany Steinfeld,
MS, CCC-SLP



Maryjan Fiala,
M.S. Adult,
Occupational,
Continuing Education
(Parent)



Jessica Gormley,
PhD, CCC-SLP



General Introduction

We are going to talk about our experiences co-designing and implementing communication partner trainings from different perspectives as well as different settings.

Garrin's Journey



17 Weeks Early



“ You can do the impossible because you’ve been through the unimaginable.
–Christina Rasmussen


Slow Progress

- Machines wheeled away
- Extubated
- First cries



Sweet Dreams







Silenced Again

Getting Heard






Back on the Roller Coaster







Augmentative and Alternative Communication (AAC)





Halloween



- Hi
- Trick-or-Treat
- Thank you






Co-Designing Trainings to Support Effective Communication

When designing our trainings, who are we orbiting?





What might knock us out of orbit?



Barriers that impact collaboration



- Limited cultural humility
- Differing ideas of “competence” or “expertise”
- Differences in opinion or treatment approaches
- Power differential across healthcare providers and families and individuals
- Time!!!



**Effective Communication Partner Training
Strategies + Evidence Based Formats +
Meaningful Collaboration
= Our “defense system” 😊**



AAC Communication Partner Training




1. Pretest and commitment to instructional program
 2. Strategy description
 3. Strategy demonstration
 4. Verbal practice of strategy steps
 5. Controlled practice and feedback
 6. Advanced practice and feedback
 7. Posttest and commitment to long-term strategy use
 8. Generalization of targeted strategy use
- (Kent-Walsh & McNaughton, 2005; Kent-Walsh et al., 2015)



Evidence-Based Time-Saving Techniques



CHECKLISTS



VIDEO-MODELING



JUST-IN-TIME
TRAINING FORMATS



Checklists

- Linked to reduced errors and improved adherence to practice guidelines (Hales & Pronovost, 2006)
- Presents the minimum steps necessary to complete a procedure
- Serves as a memory aid for busy healthcare providers

COMMUNICATING CHOICES

OFFER A CHOICE

- Pick 2 objects
- Ask a question
- Show and name

WAIT FOR A RESPONSE

- Watch the child
- Remain silent



RESPOND TO THE CHILD

If the child...	Say		Do
Picks an item	"You want ___"	+	give the item to the child
Rejects the items	"You don't want ___"	+	present different items
Does not respond	"I don't know what you want"	+	repeat the same items



Video Modeling

- Demonstrates the procedure being taught using examples filmed in a real-world context (Moore & Fisher, 2007)
- Can be very short to capture and watch
- Don't underestimate the power of seeing success!





Just-in-time Training

(e.g., Branzetti et al. 2017; Mangum et al., 2017)

Brief

- 15-minutes in duration

Portable

- Housed on a tablet

Task-Driven

- Focused on procedural learning of a single, well-defined task (i.e., choice-making)

Multimedia Elements

- Video cases, audio narration, and text used to explain and demonstrate content

User-driven & Instructor-driven

- Instructor pre-programmed pause points & explanation
- User controlled the rate of completion and navigation



***Collaboration with SLPs,
Nursing, and Families for AAC
Implementation in Surgical
Intensive Care Unit (SICU)***

UNMC/Nebraska Medicine ICU Communication Project

4. Pilot the project

Collect data about nursing + SLP knowledge, train staff, "go live" for a set period, modify based on staff feedback

3. Create the toolkit

Create, print, and purchase unit-focused tools & training

2. Collaborate regularly

Bi-weekly 30-min meetings to discuss challenges, leverage strengths, and share progress

1. Identify a common goal

Unite to solve a meaningful problem on the unit





Breaking Down Barriers to AAC in Acute Care

Domain	Common Inpatient Opportunity Barrier (Santiago et al., 2021)	UNMC/Nebraska Medicine Solutions
<i>Attitudes</i>	<ul style="list-style-type: none">• Communication access is not prioritized in hospitals.	<ul style="list-style-type: none">• Fostering empathy through family and patient stories• Working collaboratively with family members, people who use AAC, SLP + nursing staff to identify areas to address, learn from each other, and create solutions based on this knowledge• Biweekly meetings to maintain momentum



Domain	Common Inpatient Opportunity Barrier (Santiago et al., 2021)	UNMC/Nebraska Medicine Solutions
<i>Knowledge & Skills</i>	<ul style="list-style-type: none"> Staff do not know about communication supports, effective communication strategies nor how to use them. 	<ul style="list-style-type: none"> Reviewed literature related to addressing cost savings, quality & safety, etc. Created collaborative training related to importance and use of communication supports.





Domain	Common Inpatient Opportunity Barrier (Santiago et al., 2021)	UNMC/Nebraska Medicine Solutions
<i>Resources</i>	<ul style="list-style-type: none">Hospitals/units do not have access to communication supports or are not staffed with AAC/AT professionals that can help meet the needs of patients with limited motor, speech, cognitive, or diverse linguistic needs.	<ul style="list-style-type: none">Identified unit funding to create pilot communication toolkit of (mostly) low-tech communication supports.Created unit toolkit for SICU, including bilingual supports for top 7 language spoken in the medical system.Scaled up to all ICUs based on pilot unit feedback and suggestions, nursing staff strong advocates to make this happen.





Communication Boards

SUCTION 	HOW AM I DOING? 	CALL MY FAMILY 	LIGHTS ON/OFF 
TROUBLE BREATHING 	ITCHY 	HOT COLD 	PAIN 
BATHROOM 	MOVE ME 	THIRSTY 	STOMACH ACHE 
MAYBE		DON'T KNOW	LATER

Basic Hospital Needs

YES	NO
MAYBE	SOMETHING ELSE

Yes/No/Maybe/Something Else

UPSET	WORRIED	TIRED	THIRSTY	SAD						
TROUBLE BREATHING	PAIN	RESTLESS	HUNGRY	SCARED						
	→									
0	1	2	3	4	5	6	7	8	9	10

Communicating Symptoms & Feelings

1	2	3	4	5	6	7	8	9	0
Q	W	E	R	T	Y	U	I	O	P
A	S	D	F	G	H	J	K	L	
Z	X	C	V	B	N	M	.	?	
START AGAIN	SPACE						BACK		

Letter Board



Bilingual Communication Boards

<p>တံဆွေးထူးထိပ်တံ Suction</p> 	<p>မုၢ်ယတၢ်အိၣ်သးအိၣ်ဒ်လဲၣ်. How am I doing?</p> 	<p>ကိးဘၣ်ယဟံၣ်မိမိ Call my family</p> 	<p>အိးထိၣ်မုၢ်အူ. ကးတၢ်သမုၢ်အူ Lights on/off</p> 
<p>တၢ်ဂ့ၢ်ကိးဒီးတၢ်ကသိထိၣ်က သါလီၤ Trouble breathing</p> 	<p>သးကိၢ် Itchy</p> 	<p>ကိၢ် ခူၣ် Hot Cold</p> 	<p>ဆါ Pain</p> 
<p>တၢ်ဟးလီၢ် Bathroom</p> 	<p>သးကွၢ်ယၤ Move me</p> 	<p>တၢ်သူယသးလာထီ Thirsty</p> 	<p>ကမုဆါ Stomach ache</p> 
<p>ဘၣ်သ့ၣ်သ့ၣ် MAYBE</p>	<p>တသ့ၣ်ညါဘၣ် I DON'T KNOW</p>	<p>လာၣ် LATER</p>	

ဂံၢ်ဒိၣ်ထံးတၢ်ဆါဟံၣ်အတၢ်လိၣ်တၢ်မုၢ်

- Spanish
- Arabic
- Karen
- Nepali
- Somali
- Burmese
- Vietnamese




Common Inpatient Opportunity		UNMC/Nebraska Medicine Solutions
Domain	Barrier (Santiago et al., 2021)	
<i>Practice</i>	<ul style="list-style-type: none">• Staff do not know when or how to use the communication supports.• Tools are available on units but are not used.• AAC referrals are not routinely made.	<ul style="list-style-type: none">• We did not stop at the "tool" phase – created a companion training and decision tree, including training videos.• Training to be incorporated into orientation, mandatory education on the unit, etc.• **In process of evaluating “just-in-time” trainings through research partnership with RERC on AAC to optimize clinical practice.





Communication Decision Tree for ICU





Communication Decision Tree for ICU

When in doubt, reach out! SLPs are happy to help & troubleshoot communication challenges. Contact via Voalte or page at 402-888-0426



Tips for Successful Communication

- Speak directly to pt even if they may not respond verbally
- Ensure the pt can hear/see you when communicating
- Keep communication tools within reach/view for easy access
- If pt cannot access/use tool at one time, this does not mean they won't be able to access it later today or later in their admission. Continue to support and try easiest/most complete communication options.
- Keep call-lights accessible and consider alternative call-light access as needed

Hard of Hearing/Vision Deficits

- Ensure access to glasses/hearing aids as able/needed
- Use clear masks when communicating with patients who have difficulty hearing
- If pt hard of hearing without hearing aids present, call **interpretive services** for **Pocket Talker**

Alertness Strategies

- Lights on and blinds open during the day to support healthy sleep/wake cycles, especially during cares/when providers in room
- Quiet time throughout the day to promote rest/recovery
- Consider sensory needs (photophobia, diplopia, sensitivity to sound, etc.)

Partner Assisted Scanning

- Proceed row by row. Point to each row and ask if the desired message is in that row (e.g. point to 1st row and ask, "Is it in this row?" followed by 2nd row, etc.)
- Pt will select a row using the established YES response. Verify the choice out loud.
- Point to each message within the row ("Suction?" "Trouble breathing," etc.).
- Pt will signal that you are pointing to the desired message using established YES response
- Confirm the selection & repeat as needed

Communication Boards

- Board options include: Basic needs board, yes/no board, symptom-specific board, QWERTY keyboard
- Consider bilingual communication boards (Available: Spanish, Arabic, Nepali, Burmese, Vietnamese, Karen, Somali)
- Call interpretive services for all pt interactions if non-English speaking (Spanish: 402-559-8697; All other languages: 402-512-5384)

Passy Muir Speaking Valve (PMV)

- Ensure SLP is consulted for PMV services
- See most recent note for wear, cleaning, storage, and safety information
- To place PMV *ensure cuff deflated for all PMV use*. Use one hand to stabilize trach and don PMV to trach hub (if on trach collar) using a gentle, 1/4 twist motion (PMV is designed to be coughed off so not too snug!)
- Place PMV during communication activities as advised by SLP (see SLP note for safety information!)
- *Remove PMV as advised by SLP in most recent note or when pt sleeping, with increased WOB, change in vitals, increased secretions, or change in medical status and message SLP.*

Eye-Gaze

- Look at the pt through the hole in the board (hold in-front of your face), instruct pt to look at item/word/letter in each corner of the board to ensure ability to access all items
- Allow pt to use eye-gaze to select target; Confirm selection with read-back
- Continue scanning until message is complete

Communication Apps

- Check out iPad from floor to pt's room and open *TD Snap* application
- Open pre-set user and present device to pt
- May support access by navigating to topic page and allowing pt to select targets from there
- Can support under-elbow if reaching/access is challenging
- Allow ample time for selections/navigation



Domain	Common Inpatient Opportunity Barrier (Santiago et al., 2021)	UNMC/Nebraska Medicine Solutions
<i>Environment</i>	<ul style="list-style-type: none">• Strict infection control policies.• Patients interact with many people and in different units.• Dense presence of medical equipment at bedside.	<ul style="list-style-type: none">• Identified practical storage and cleaning solutions.• Instructions are kept with the tools and freely available online.





Collaboration Tip: ASK!!

Pre-Pilot Survey

91% of nurses and CNAs reported having difficulty communicating with patients

28% of nurses, CNAs, and SLPs reported participating in formal training related to communicating with patients

86% of nurses, CNAs, and SLPs knew where to locate communication tools on the unit

Post-Pilot Survey

97% of nursing staff knew where to locate communication tools on the unit

51% of nursing staff reported they had consulted with speech therapy to help patients communicate in the past year

- Of those who had worked with speech, 93% reported that it was helpful

74% of nursing staff reported that they knew how and when to initiate the process to consult with speech



Next Steps...

- Expanding toolkits to other units
- Implementing nurse training videos to new staff and adding to annual in-services
- Weekly “Communication Check-Ins”

Unit	Toolkits Available	Communication "Check-Ins"
Surgical ICU	✓	✓
Cardiovascular ICU	✓	✓
Medical ICU	✓	
COVID ICU	✓	
Neurosurgical ICU	✓	
Werner (Cancer) ICU	✓	✓
Step-Down Critical Care	✓	
Bellevue ICU	✓	
Pediatric ICU	✓	
Neurology Unit		



Creating Communication Opportunities for Children in the Hospital



Information about the project

- Collaborative project involving multiple perspectives
- Open dialogue with feedback encouraged
- Consideration of hospital experiences
- Training that can be immediately implemented
- Next steps: Parent training
- Unintended benefits: Additional requests for parent/child representation in training materials





Examples



Communicating with Kids in 4 Simple Steps



Learning How to Effectively Use Augmentative and Alternative Communication (AAC) with Your Child

Stacey Carnazzo, LEND Family Trainee
Brittany Steinfeld, MS, CCC-SLP



Current Problem and Potential Solution

- Lack of understanding and guidance for parents to learn how to communicate using an AAC device with their child.
- Need for resources parents can easily access that can help support their skills in the home setting.
- Solution - Create brief, easily accessible AAC trainings that are reflective of both SLP and parent training priorities



Settings/Participants

- Survey: 10 SLPs, 10 parents who completed AAC training in the past
- Intervention:
 - Research will take place in outpatient clinic environment
 - 40 parents and their children who utilize limited speech who have never received parent training regarding AAC.



Identifying Training Topics

Strategies

Modeling	Providing Choices
Providing Praise	Prompting
Appropriate Vocab	Meaningful Contexts
Pausing	Communicative Temptations
Expansions	Recasts
Extension	Shared Reading
Keeping system close	Other



Strategy	Parent Response	SLP Response
Modeling	9	9
Providing Choices	6	2
Providing Praise	5	0
Prompting	7	5
Appropriate Vocab	2	6
Meaningful Contexts	5	9
Pausing	3	2
Communicative Temptations	1	5
Expansions	2	2
Recasts	1	0
Extensions	4	0
Shared Reading	1	4
Keeping System Close	7	6
Other	1	0



Creating Training Videos

- Recruited participants (children and their parents who use AAC)
- Recorded naturalistic interactions between child, parent, and SLP.
- Analyzed and coded all videos according to the AAC techniques outlined in the survey



Modeling in Play





Meaningful Context




Rehabilitation Engineering Research Center on AAC



- The RERC on AAC is a collaborative center committed to advancing knowledge and producing innovative engineering solutions in augmentative and alternative communication (AAC).
 - Penn State University
 - Koester Performance Research
 - Madonna Rehabilitation Hospitals
- 3 research and 3 development projects focused on AAC
- <https://rerc-aac.psu.edu/>

D3: mTraining in AAC for Communication Partners

- Challenge
 - Communication partners are often unfamiliar & untrained in AAC.
 - Current approaches to partner training are often *inefficient, ineffective, not personalized, and limited in scope & reach.*
- Solution
 - Develop a user-friendly app to create partner mTrainings that can be deployed “just in time” to teach partners AAC strategies. The app will include step-by-step instructions and video demonstrations of each step.



Components to mTraining App

Utilizes checklist of
procedural steps

Video models of each step

Library of "generic"
trainings freely available

Ability to efficiently develop
"personalized" trainings



**We would love to hear from
you!**

Brittany Steinfeld

bsteinfeld@unmc.edu

Maryjan Fiala

mfiala@unmc.edu

Jessica Gormley

Jessica.gormley@unmc.edu



References

- Branzetti, J. B., Adedipe, A. A., Gittinger, M. J., Rosenman, E. D., Broliar, S., Chipman, A. K., ..., Fernandez, R. (2017). Randomised controlled trial to assess the effect of a Just-in-Time training on procedural performance: A proof-of-concept study to address procedural skill decay. *British Medical Journal Quality & Safety*, 26, 881-891. doi: 10.1136/bmjqs-2017-006656
- Gormley, J., & Light, J. (2023, in press). Supporting children's communication of choices during inpatient rehabilitation: Effects of a training for healthcare providers.
- Hales, B. & Pronovost, P. (2006). The checklist – A tool for error management and performance improvement. *Journal of Critical Care*, 21, 231-235. doi: 10.1016/j.jcrc.2006.06.002
- Kent-Walsh, J., & Mcnaughton, D. (2005) Communication Partner Instruction in AAC: Present Practices and Future Directions, *Augmentative and Alternative Communication*, 21:3, 195-204, DOI: 10.1080/07434610400006646
- Kent-Walsh, J. Murza, K.A., Malani, M.D., & Binger, C. (2015). Effects of communication partner instruction on the communication of individuals using AAC: A meta-analysis. *Augmentative and Alternative Communication*, 31, 271-284. doi: 10.3109/07434618.2015.1052153



References

- Mangum, R., Lazar, J., Rose, M.J., Mahan, J.D., & Reed, S. (2017). Exploring the value of just-in-time teaching as a supplemental tool to traditional resident education on a busy inpatient pediatrics rotation. *Academic Pediatrics*, 17, 589-592. doi: 10.1016/j.acap.2017.04.021
- Moore, J.W., & Fisher, W.W. (2007). The effects of videotape modeling on staff acquisition of functional analysis methodology. *Journal of Applied Behavior Analysis*, 40, 197-202. doi: 10.1901/jaba.2007.24-06
- Rehabilitation Engineering Research Center on Augmentative and Alternative Communication. (n.d.). D3: mTraining in AAC for communication partners. <https://rerc-aac.psu.edu/development/d3-mtraining-in-aac-for-communication-partners/>
- Santiago, R., Gormley, J., Altschuler, T., Howard, M., Pressman, H., & Blackstone, S. (2021). Promoting system change for communication access in acute care hospitals. *Assistive Technology Outcomes and benefits*, 15, 100-118.
- Wilson, C. (2013). Credible checklists and quality questionnaires: a user-centered design method. Elsevier. <https://doi.org/10.1016/B978-0-12-410392-4.00003-9>

•Session Feedback Evaluation

- Your feedback is very important to us. Please be sure to complete the session evaluation through the ATIA mobile app.

•CEUs

- ATIA 2022 education presentations are ACVREP, AOTA, ASHA, CRC and IACET CE approved. Please note that sessions are reviewed for specialty CEU eligibility, but not all sessions are approved for specialty CEUs.
- Please https://s3.goeshow.com/atia/orlando/2023/ceu_sessions.cfm



MUNROE-MEYER
INSTITUTE



UNIVERSITY OF
Nebraska
Medical Center